SAFETYRESPECT®







PERSONAL FALL PROTECTION TAILORED FOR CONSTRUCTION SITES

Personal fall protection is used when assembling collective fall protection or when no other suitable fall protection solution is available. A personal fall protection system consists of an anchoring device, a full body harness and a coupling system with a fall damping function.

We have tailored kits that are designed for different situations in the construction project, for example for work on roofs, slabs or from a mobile platform. You can also put together your own solution from our range of individual products.

All parts of our personal fall protection are designed for the construction industry, are of high quality and comply with the latest updated EU regulations on personal fall protection equipment.

In addition to high quality products, knowledge and routines are important for the overall function. SafetyRespect offers a comprehensive education package for different needs, as well as solutions for control and maintenance of the systems.



SAFETYRESPECT - WE SAVE LIVES

With SafetyRespect, you get more than fall protection products – you get an expert partner who stands by your side. We help you take control of every step of the fall protection process. We make it easy for you by offering a full range of products and services, all designed for the construction industry.

△ PRODUCT OVERVIEW



Harness SR Technic

Art.no. 962010 (S), 962011 (M-L), 962012 (XL)

- Professional work positioning and fall arrest harness
- Equipped with speed buckle, easy to put on and take off
- Two attachment points, chest and dorsal
- Weight: 2450 g
- EN 358, EN 361, EN 813, CE 1019, NFPA Class III, ANSI Z359.1





Harness SR Body

Art.no. 962021 (S-L), 962022 (XL-XXL)

- Lightweight and flexible fall arrest harness
- Equipped with speed buckle, easy to put on and take off
- Two attachment points, chest and dorsal
- Weight: 1185-1240 g
- EN 361, CE 1019



Mobile platform kit Art.no. 967300

Harness SR Body, Block SR IKAR textile 1,8 m, Sling 60 cm 22 kN, Carabiner alu oval 26 kN ozone black triplock, Gear bag 35 l SR.



Construction kit Art.no. 967310

Harness SR Body, Block SR IKAR steel 6 m, Lanyard steel I 100 cm 15 kN, Carabiner alu oval 26 kN ozone black triplock, Gear bag 35 I SR.



Positioning kit Art.no. 967320

Harness SR Technic, Absorber reactor 140 EYE Y 155 cm + 2xK35, Positioning line "Site" 2 m with Locker lock, Carabiner alu, oval 26 kN ozone black triplock, Gear bag 35 l SR.



Roof kit Art.no. 967330

Harness SR Technic, Roof Line with Back up 20 m, Lanyard steel I 100 cm 15 kN, Gear bag 35 I SR.

△ PRODUCT OVERVIEW



Rescue kit with bag Art.no. 966151 60 m Art.no. 966161 100 m With vacuum seal pack





Rescue kit with case Art.no. 966153 60 m Art.no. 966163 100 m With vacuum seal pack





Rescue expansion pack Art.no. 966100



Gear bag SR Art.no. 961090 35 I Art.no. 961091 50 I





Art.no. 960102 ABS-Lock tube



Art.no. 967063 D-bolt



Art.no. 967061 Door D-mobile



Art.no. 967062 Hanger stainless

Art.no. 967065 Snake brace M 300



Block SR IKAR

Art.no. 963060 1,8 m textile Art.no. 963061 3,5 m textile Art.no. 963062 6 m steel Art.no. 963063 12 m steel



Roof line with Back up Art.no. 967202 10 m Art.no. 967203 20 m



Fine line SR 20 m Art.no. 967055



Absorber reactor 140 EYE Y 155 2xK353

Art.no. 967111



Lanyard steel I 15 kN Art.no. 967041 100 cm Art.no. 967042 130 cm Art.no. 967043 180 cm



Rope protector Defender Art.no. 960013 80 cm Rope static 11 mm Art.no. 967016 50 m



Slings, 22 kN Art.no. 967071 60 cm Art.no. 967072 80 cm Art.no. 967073 120 cm Art.no. 967074 150 cm



Carabiner triplock Art.no. 965011 D 23 kN Alu Art.no. 965013 Oval 26 kN Alu

Art.no. 965021 Oval 30 kN steel Art.no. 965022 D 50 kN steel



Helmet SR Flash Art.no. 964011 Black Art.no. 964012 High vis. yellow



Accessories helmet Art.no. 964023 Visor flash Art.no. 964032 Ear protection



Harness padding Art.no. 962018 Technic Art.no. 962028 Body S/M/L Art.no. 962029 Body XL/XXL



Tool holder strap Art.no. 965092 **Tool hook Porter** Art.no. 965091

